

HOME IS WHERE THE HEART IS

# ENGINEERED TIMBER


*Australian Species*



HEARTRIDGE  
FLOORS BY  DUNLOP



[heartridge.com.au](http://heartridge.com.au)



HOME REFLECTS WHO  
WE ARE IT'S A SPACE  
WE CREATE TO

*recharge our soul*

A PLACE TO BE  
SAVOURED  
AND ENJOYED

*with loved ones*

---

HOME IS WHERE THE HEART IS

---



## WHY CHOOSE HEARTRIDGE FLOORS


For over 50 years, we as an industry have always been passionate and proud of the products we offer.

We search the globe for the latest in flooring innovation and select only the most beautiful colour variations that nature can provide us.

Heartride is the perfect flooring option to make your space a place to come home to.

Available in Engineered Timber, Hybrid Plank, Luxury Vinyl Plank and Vinyl Plank flooring.

INTRODUCING THE  
AUSTRALIAN SPECIES





Blackbutt

# CONSTRUCTION

Plank Size: 2100 / 1900 / 1820mm x 136mm x 14mm  
4-Sided Micro Bevel

UV-Cured urethane  
coating for superior wear  
resistance

3mm Veneer Blackbutt &  
Spotted Gum

Multi-layered Eucalyptus core  
for optimal construction stability

Birch backing layer for  
extra support



Actual colors may vary. We do our best to ensure that our photos are as true to color as possible. Every monitor or mobile display has a different capability to display colours.

To ensure the right product for you, please order a FREE consumer sample sized plank.

Scan the QR code or click here to order

# PRODUCT SPECIFICATION

|                           |                                                                                                    |
|---------------------------|----------------------------------------------------------------------------------------------------|
| PLANK SIZE                | Thickness 14mm<br>Width 136mm<br>2 lengths of 2100mm<br>3 lengths of 1900mm<br>3 lengths of 1820mm |
| PACK SIZE & WEIGHT        | 2.089m²   22.5kg                                                                                   |
| WEAR LAYER                | 3.0mm Veneer Blackbutt & Spotted Gum                                                               |
| MATERIAL                  | Multi-layered Eucalyptus                                                                           |
| COATING                   | Treffer UV Cured Urethane Coating                                                                  |
| CLICK JOIN                | Dunlop driGuard™ Tongue and Groove                                                                 |
| PATTERN REPEAT            | Natural Timber Variation                                                                           |
| SURFACE FINISHING         | Lightly brushed, with a smooth, low sheen finish                                                   |
| EDGE                      | 4S Micro Bevelled                                                                                  |
| INSTALLATION TYPE         | Floating or Glued                                                                                  |
| MATCHING ACCESSORIES      | Yes                                                                                                |
| APPLICATIONS              | Residential & Commerical Settings                                                                  |
| WARRANTY (STRUCTURAL)     | 25 Year Limited Residential                                                                        |
| WARRANTY (SURFACE FINISH) | 20 Year Limited Residential                                                                        |

# TECHNICAL INFORMATION

|                           |            |
|---------------------------|------------|
| FIRE - SMOKE              | 20.81% min |
| FIRE - CHF / CRF          | 3.8kW/m2   |
| SLIP - DRY FLOOR FRICTION | D1         |
| SLIP - WET PENDULUM       | P4         |
| SLIP - OIL WET RAMP       | R9         |
| FORMALDEHYDE              | E0         |



A TOUCH OF  
**NATURE CRAFTED**  
FOR YOUR HOME

Embrace the timeless quality of Blackbutt and Spotted Gum as it brings a tranquil element to your space - where peace and comfort meet.



Spotted Gum



Blackbutt

# WHY ENGINEERED TIMBER?



## NATURAL TIMBER VARIATION & CHARACTER

Engineered Timber is a natural product; each board is different in its own unique way. Timber flooring has natural features and character, with knots and variations in each colour.



## ACOUSTICALLY SOUND

As more people choose multilevel, residential living, the issue of sound insulation has never been more important. For added acoustic performance, a Dunlop Timber Underlay is recommended for installation.



## COATED FOR SURFACE PROTECTION

Our flooring is protected by an exceptional UV-cured urethane coating, ensuring outstanding wear resistance to preserve the excellent condition of your timber floor.



## LAYERED TO LAST

Our Engineered Timber is designed for strength and durability. Each plank is layered with a 3mm thick, Blackbutt and Spotted Gum veneer that matures naturally with age, while a eucalyptus core provides optimal stability underfoot.



## LOW MAINTENANCE

Maintaining the beauty of your hardwood floors is easy. Simply wipe with a damp or dry cloth to always keep them looking their best.



Blackbutt

## 3 FREE SAMPLES DELIVERED STRAIGHT TO YOUR DOOR

Whether you're renovating an existing home or building a new dwelling from the ground up, the colour and quality of the flooring is an important decision to make. This is why we've set up our Request a Sample service to help you find the perfect colour!

Our Request a Sample service is quick and simple to do. Our samples will be sent to you directly from our warehouse. Choose from a variety of colours across our entire range, to help you compare and contrast the sample with your desired palette. Visit our website today and make your first order!

1



Visit [heartridge.com.au](https://heartridge.com.au)

2



Choose and order your samples

3



We'll deliver it to your door

[Order Now](#)

## A GIFT JUST FOR YOU

Receive a FREE Bona Kit with any Heartridge Flooring purchase!

### HOW IT WORKS

**STEP ONE:** Order your free Heartridge samples online

**STEP TWO:** Use our store locator to purchase and install your new Heartridge Floor

**STEP THREE:** Send us your proof of purchase along with your unique code and we'll deliver your Bona Kit straight to your door!



Terms and Conditions apply.

# QUALITY UNDERLAY SOLUTIONS

As more people choose multilevel residential living, the issue of sound insulation has never been more important. Whether it's in a townhouse, apartment, or two storey home, the sound of footsteps, moving furniture, or falling items can be annoying. To tackle this problem, Dunlop has a complete range of hard flooring underlays for all applications that easily surpass the industry standard set by the National Construction Code (formerly known as BCA) supporting your new floor for many years to come.

## **Advantage 3**

- Thickness 3mm
- Designed to reduce impact sound insulation whilst offering high resilience
- Exceeds the NCC minimum requirements
- Suitable for both domestic and commercial applications
- Guaranteed for the life of your flooring
- Recommended for use with solid and engineered timber, laminate and vinyl planks
- Acoustic Rating: 46 dB
- Water Vapour Transmission: 196 Sd when installed with a 200 micron plastic sheet


Glued or Floated  
Timber, Laminate, or  
Vinyl Plank Floor

85% Recycled Rubber  
15% Natural Cork




## **DUNLOP** **Timbermate**

- Thickness 2mm
- Reduces sound transfer
- Protects against moisture
- Recommended for use with most common laminate and engineered timber floating floors
- Acoustic Rating: 58 dB
- Water Vapour Transmission: 86 Sd




## **DUNLOP** **Thermacoustic**

- Thickness 3mm
- Increased reduction in sound transfer
- Protects against moisture
- Offers added thermal protection
- Recommended for use with most common laminate and engineered timber floating floors
- Acoustic Rating: 55 dB
- Water Vapour Transmission: 174 Sd




## **DUNLOP** **Timbercushion**

- Thickness 2mm
- Superior acoustic performance
- 200 micron barrier offers unsurpassed moisture resistance
- Recommended for use with most common laminate and engineered timber floating floors
- Acoustic Rating: 48 dB
- Water Vapour Transmission: 202 Sd
- Includes an incorporated tape seal on the end of the rolls for increased water vapour resistance



## **DUNLOP** **Aquacoustic**

- Thickness 3mm
- Impressive acoustic performance
- 200 micron barrier offers unsurpassed moisture resistance
- Recommended for use with most common laminate and engineered timber floating floors
- Acoustic Rating: 47 dB
- Water Vapour Transmission: 203 Sd
- Includes an incorporated tape seal on the end of the rolls for increased water vapour resistance





For more information contact Dunlop Flooring on  
1800 622 293 or visit [heartridge.com.au](http://heartridge.com.au)

