

HOME IS WHERE THE HEART IS

HEARTRIDGE
FLOORS BY  DUNLOP

LAMINATE

FORESTBROOK COLLECTION

heartridge.com.au





HOME REFLECTS WHO WE ARE,
IT'S A SPACE WE CREATE TO
recharge our soul

A PLACE TO BE
SAVOURED AND ENJOYED
with loved ones

HOME IS WHERE THE HEART IS



SHADOWED
SPOTTED GUM

CONTENTS

Why choose Heartride floors	3	Accessories	17
Forestbrook Laminate	6	FAQ	19
Constructions	11	Recommended Dunlop Underlays	21
Forestbrook Swatches	13	BONA Cleaning Kit	24
Specifications	16	Request a Sample	25

WHY CHOOSE HEARTRIDGE FLOORS

At Heartridge, we believe beautiful floors are the heart of any home.

Flooring has always been our passion and for many years we have continued to search the globe for the latest in flooring innovation and select only the most beautiful colour variations that nature can provide us.

Heartridge is the perfect flooring option to make your space a place to come home to.

Available in Engineered Timber, Hybrid Plank, Vinyl Plank and Laminate flooring.



CLOSER THAN YOU THINK – FIND YOUR NEAREST STOCKIST NOW!

With over 1,000 stockists across Australia, finding your nearest store is quick and easy. Simply scan the QR code to locate a retailer near you.

[Find Retailer](#)





AT HEARTRIDGE, WE BELIEVE
BEAUTIFUL FLOORS
ARE THE HEART TO **ANY HOME**

BLACKBUTT



OAKRIDGE

THE NEXT EVOLUTION IN LAMINATE IS HERE

Laminate flooring has undergone considerable advancements, including the development of a more refined wood grain bevelled embossing but more importantly, enhanced moisture and core protection.

Inspired by the enduring appeal of natural timber, the Forestbrook laminate flooring collection offers a remarkably authentic wood appearance and texture, bringing a sense of elegance and warmth to any interior space. The innovative H20PRO™ Technology exceeds decades of laminate engineering with its high-density

fiberboard and water-resistant core lock system providing up to 100 hours of moisture protection.

Thanks to its robust construction and scratch-resistant surface, Forestbrook laminate flooring ensures long-term performance, even in areas subject to heavy foot traffic. In addition, its low-maintenance nature and ease of cleaning make it an ideal choice for those seeking a harmonious blend of aesthetic appeal and everyday practicality.



A DURABLE SURFACE TO STAND THE TEST OF TIME

Dunlop Wearshield provides the extra protection your floors need. The innovative AC4 melamine protective wear layer in our laminate range is scratch and dent resistant – so you can easily care for your floors and enjoy them for many years to come. For more information, [see page 11](#).



SUSTAINABLE FLOORING THAT LEAVES A LIGHTER FOOTPRINT

We are committed to helping the environment and making our homes a healthier place. Our laminate flooring is low in VOC's, helping improve air quality in the home.


WHY CHOOSE FORESTBROOK LAMINATE?



100 HOURS


MOISTURE RESISTANT

Our advanced Dunlop H20PRO™ moisture resistant core offers up to 100 hours protection, making it more reliable than ever before.




REAL TIMBER LOOK AND FEEL

Our laminate floors feature a carefully designed décor layer printed on premium quality paper. This makes it a more realistic print, colour and clarity achieving a striking resemblance to authentic timber floors!



SCRATCH RESISTANT

Our laminate flooring is equipped with a durable, scratch-resistant AC4 melamine protective wear layer, designed to endure the demands of everyday life making it kid & pet friendly.




STABLE CONSTRUCTION

Each laminate plank is enhanced with a high-density fiberboard for increased stability, providing outstanding durability, which also makes it less re-active to temperature.



EASY TO CLEAN AND MAINTAIN

Real timber boards demand frequent maintenance to keep their appearance, but with laminate flooring, it's hassle-free! Laminate flooring must be damp-mopped. We highlight recommend the use of Bona Cleaning products. [See page 24.](#)



QUIET UNDERFOOT

When paired with a quality Dunlop underlay, the Forestbrook collection provides excellent acoustic performance along with enhanced walking comfort. [See page 21](#) for our recommended products.

FEATURES



EASY TO INSTALL

Our Laminate Planks use an integrated, user-friendly patented locking mechanism. Built for a speedy and secure installation, these planks click together tightly with no gapping. Adhesives are not required.



BUDGET FRIENDLY

A terrific choice for budget-friendly DIY or commercial projects. The Forestbrook Laminate collection delivers great value without compromising on quality. You get the look and feel of timber but the fraction of the cost!




PERFECT FOR HIGH TRAFFIC AREAS

The Forestbrook Collection has undergone rigorous testing to assess its resistance to abrasion, impact, and other surface wear. With an AC4 rating, this flooring is suitable for both residential use and moderate commercial environments.

Click the button below to view the full warranty.

[View Warranty](#)



PINECREST



UP TO 100 HOURS

PROTECTION AGAINST MOISTURE

Our advanced Dunlop H20PRO™ moisture resistant core offers up to 100 hours protection, making it more reliable than ever before.



PALMSTONE

CONSTRUCTION

Plank Size: 8 x 196 x 1500mm



A durable surface to stand the test of time

AC4 melamine wear layer - provides protection against moisture, scratches and stains

Premium décor layer - an authentic wood grain bevel designed to provide a real-look timber and feel



Up to 100 hours protection against moisture

A high-density fiberboard infused with melamine featuring a water resistant core lock for enhanced durability and moisture resistance.

Protective backing layer made from recycled material - prevents warping and ensures structural integrity




PROUDLY MADE OF

DUNLOP[®]
H2O PRO [™]
TECHNOLOGY

UP TO 100 HOURS PROTECTION AGAINST MOISTURE

Heartridge's Forestbrook laminate range is proudly made with Dunlop H2O PRO[™], a high-density fiberboard featuring a water-resistant core lock, offering up to 100 hours protection against moisture.

FORESTBROOK RANGE





COASTAL BLACKBUTT



FERNWOOD

PRODUCT SPECIFICATIONS

PLANK SIZE	8 x 196 x 1500mm
PACK SIZE	1.764m ²
PATTERN REPEAT	6
CLICK	Angle Angle locking system
SURFACE	AC4 melamine wear layer
MATERIAL	High-density fiberboard
AFFORDABILITY	Mid-market Option
WATER RESISTANT SURFACE	Yes
INSTALLATION	Floating – click join
EXPANSION GAP REQUIRED	Yes
MATCHING ACCESSORIES	Yes
INSTALL OVER MOST EXISTING HARD FLOOR?	Yes*
COMPATIBLE WITH UNDERFLOOR HEATING?	Yes*
EASY TO CLEAN AND MAINTAIN?	Yes
SCRATCH RESISTANT	Yes
STAIN RESISTANT	Yes**
RESIDENTIAL AND COMMERCIAL APPLICATIONS	Yes
FIRE – SMOKE	134.6%
FIRE – CHF/CRF	≥11
SLIP – DRY FLOOR FRICTION	D1
SLIP – WET PENDULUM	P2
SLIP – OIL WET RAMP	R10
FORMALDEHYDE	E1
RESIDENTIAL WARRANTY	Structural Finish - 15 Year Limited Residential
COMMERCIAL WARRANTY	Structural Finish - 5 Year Limited Commercial

*Please refer to Dunlop's Installation and Warranty documents for more information

**Applies to typical household stains; Dunlop Flooring recommends prompt cleaning.

THE PERFECT FINISH TO YOUR LAMINATE FLOORING WITH COLOUR MATCHED ACCESSORIES




SCOTIA

The Heartridge Scotia range is the perfect way to conceal your expansion gap. This can be laid either directly to the wall or onto existing skirting boards.

Dimensions:

2400 x 20 x 20mm




C CHANNEL (END PROFILE)

The Heartridge End Profile ensures a flawless finish to your home. Suitable in areas where the floor meets sliding doors, window frames and even kitchen cupboards!

Dimensions:

2400 x 35 x 12mm




T-MOULD

Designed to ensure a smooth transition between different floor coverings or subfloors. T-Moulds can be used to allow for expansion between rooms for an immaculate finish.

Dimensions:

2400 x 45 x 10mm




STAIR-NOSING

Bring that extra elegance to your staircase with matching Stair-Nosing.

Dimensions:

2400 x 115 x 27mm





SHADOWED
SPOTTED GUM

FREQUENTLY ASKED QUESTIONS

WHAT IS LAMINATE FLOORING?

Laminate flooring is a synthetic, multi-layered material designed to mimic the look and feel of natural hardwood floors. It is typically made of four main areas – a melamine wear layer, a high-resolution printed design layer, a high-density fiberboard (HDF) core layer, and a protective balancing layer.

IS LAMINATE FLOORING WATERPROOF?



Laminate flooring is water resistant, but it is not entirely waterproof. Our Forestbrook

Laminate range is proudly made with Dunlop H20PRO™, a high-density fiberboard featuring a water-resistant core lock, offering up to 100 hours protection against moisture.

Always clean up spills promptly to ensure the longevity of your laminate floors. It is also not recommended for installation in wet areas such as laundries and bathrooms, as it does not meet the National Construction Code (NCC) and Australian Standard 3740:2021.

WHAT'S THE SIGNIFICANCE OF AN AC4 MELAMINE WEAR LAYER?

The melamine wear layer is a type of resin applied to the surface of the flooring that acts as a protective shield that enhances resistance to scratches and stains.

The AC in AC4 stands for Abrasion Class, a rating system used to measure the durability of laminate flooring, ranging from AC1 (light residential use) to AC5 (commercial use). Hence, a rating of AC4 indicates that

the flooring can withstand moderate to heavy residential traffic or light commercial settings.

In conclusion, an AC4 melamine wear layer provides significant resistance against daily wear and tears, scratches and stains, making it perfect for both homes and light commercial spaces.

RESIDENTIAL	
 MODERATE	AC 1 Moderate Traffic: Suitable for bedrooms or guest rooms
 GENERAL	AC 2 General Traffic: Suitable for living rooms or dining rooms
 HEAVY	AC 3 Heavy Traffic: Suitable for all areas
COMMERCIAL / RESIDENTIAL	
 MODERATE	AC 3 Moderate Traffic: Hotel rooms, small office
 GENERAL	AC 4 General Traffic: Office, boutique cafe
 HEAVY	AC 5 Heavy Traffic: Public buildings, department stores

HOW DOES FLOORING WITH AN ANGLE ANGLE LOCKING SYSTEM MAKE A DIFFERENCE?

Developed by Unilin, the inventors of the original glue-less click flooring, the patented locking system offers exceptional durability and ease of use. Its precision-engineered locking mechanism creates a tight, secure fit that keeps your flooring firmly in place.

Designed with DIYers in mind, the user-friendly Angle/Angle installation method makes it fast and easy to install—perfect for both home improvement enthusiasts and professionals alike.

WHY IS A HIGH-DENSITY BOARD HDF THE PREFERRED CHOICE FOR DURABLE PRODUCTS?

Most high-quality laminate floors feature an HDF core, which offers a strong, impact-resistant foundation built to withstand daily wear and tear. This durable core provides excellent stability, resisting warping, swelling, and temperature changes. Despite its toughness, HDF remains surprisingly affordable, delivering durability and performance comparable to engineered timber. Plus, it's made from recycled wood fibres, making it an eco-friendly choice that helps reduce environmental impact.



THINKING OF YOUR NEXT PROJECT?

HERE ARE SOME IMPORTANT INSTALLATION TIPS:


- Make sure your installer has read the full instructions before starting.
- **Subfloor checklist:** It should be clean, level, smooth, and checked for moisture.
- The maximum installation area is **15 meters long by 15 meters wide**. If you're installing flooring in multiple rooms or areas, **use compartmentalisation** (breaks between spaces are needed).
- Allow a **10mm expansion gap** around the entire perimeter of the home.
- **Do not use caulking or silicone** around the edges.
- Use a **high-quality underlay with an SD rating of 75 or higher**.
- For cleaning, use a **slightly damp microfiber mop or cloth** with a recommended cleaner like **Bona**.

RECOMMENDED DUNLOP UNDERLAYS

Aquacoustic

Dunlop Aquacoustic is a specialist hard flooring underlay that provides unsurpassed acoustic performance. Incorporating a 200-micron moisture-resistant barrier and cross-linked polyethylene foam, Aquacoustic offers superior moisture protection. This product includes an incorporated tape seal on the end of the rolls for increased water vapour resistance.


- Thickness 3mm
- Impressive acoustic performance
- 200 micron barrier offers unsurpassed moisture resistance
- Recommended for use with most common laminate and engineered timber floating floors
- Acoustic Rating: 47 dB
- Water Vapour Transmission: 131 Sd
- Includes an incorporated tape seal on the end of the rolls for increased water vapour resistance



Thermacoustic

Dunlop Thermacoustic is a hard flooring underlay specially designed with polyethylene foam and a moisture barrier to offer an increased reduction in sound transfer whilst also providing added moisture and thermal protection. Dunlop Thermacoustic has been tested by the CSIRO to determine its acoustic performance and compliance with the standard set by the National Construction Code (NCC), which it exceeds.

- Thickness 3mm
- Increased reduction in sound transfer
- Protects against moisture
- Offers added thermal protection
- Recommended for use with most common laminate and engineered timber floating floors
- Acoustic Rating: 55 dB
- Water Vapour Transmission: 174 Sd





PROTECTION FOR EVERY FLOOR

Dunlop Flooring understands the importance of ensuring floors survive the construction phase intact, free from dents and scratches.

Dunlop Floorshield is a reusable floor protection mat that is designed to protect floors and other surfaces during construction.

Technical Specifications

Thickness	4.0mm
Roll Length	50.0m length
Roll Width	1.5m wide
Roll Size	75m ²
Composition	Expanded polyethylene foam, polyethylene based bubble, polyethylene based woven.



Reduces the damaging effects of dropped items.



Protects against dirt, dust, debris and spilled liquids.



Is easy to cut with a knife.



Protects against scratches on soft timbers as a result of its non-abrasive underside.

Best of all, it's lightweight, affordable, and reusable. Due to its versatile nature it can be used on timber, laminate, vinyl, tiles, slate and marble.



PINECREST

Bona



ONE MORE CHANCE TO GRAB YOUR FREE BONA CLEANING KIT

For a limited time only we will be giving away a free Bona Cleaning kit with every purchase of Dunlop Hard Flooring Product

HOW TO CLAIM:

1. Purchase your flooring – find your closest store using our store locator at heartridge.com.au
2. After purchasing your floors at any participating retailer, email your invoice with the unique code provided in the subject line and send to customerservice@dunlopflooring.com.au
3. Receive your new Bona Cleaning Kit delivered straight to your door!

RRP
\$89.95



ELIMINATES 99%
OF BACTERIA



PET AND CHILD
FRIENDLY



QUICK AND
SIMPLE TO USE



PH NEUTRAL

ESTABLISHED IN **SWEDEN 1919** | ONE OF **TOP 10** CLEANERS IN THE WORLD | SOLD IN OVER **90 COUNTRIES**



3 FREE SAMPLES DELIVERED TO YOUR DOOR

Whether you're renovating an existing home or building a new dwelling from the ground up, the colour and quality of the flooring is an important decision to make. This is why we've set up our Request a Sample service to help you find the perfect colour!

Our Request a Sample service is quick and simple to do. Our samples will be sent to you directly from our warehouse. Choose from a variety of colours across our entire range, to help you compare and contrast the sample with your desired palette. Visit our website today and make your first order!

1



Visit heartridge.com.au

2



Choose and order your samples

3



We'll deliver it to your door

Order Now



WOODLAND



For more information contact Dunlop Flooring
on **1800 622 293** or visit heartridge.com.au



June 2025